

	Hits	Search Text	DBs
1	1	PDP and ((even and odd) near5 line\$2) and (luminance near5 difference) and threshold	USPAT; US-PGPUB
2	0	PDP and ((even and odd) near5 line\$2) and (luminance near5 difference) and threshold	EPO; JPO; DERWENT; IBM_TDB
3	0	PDP and ((even and odd) with line\$2) and (luminance with difference) and threshold	EPO; JPO; DERWENT; IBM_TDB
4	2	PDP and ((even and odd) near5 line\$2) and (luminance with difference) and threshold	USPAT; US-PGPUB
5	5	PDP and ((even and odd) with line\$2) and (luminance with difference) and threshold	USPAT; US-PGPUB
6	10	PDP and ((two) near5 line\$2) and (luminance near5 difference) and threshold	USPAT; US-PGPUB
7	6	(PDP DMD (matrix adj3 array)) and ((subscan bits) adj3 weights) and (luminance value) and ((odd and even) near5 line\$2)	USPAT; US-PGPUB
8	0	(PDP DMD (matrix adj3 array)) and ((subscan bits) adj3 weights) and (luminance value) and ((odd and even) near5 line\$2)	EPO; JPO; DERWENT; IBM_TDB
9	1	6201519.pn.	USPAT; US-PGPUB
10	0	6201519.URPN.	USPAT
11	4	("5475448" "5848198" "5999154" "6091380").PN.	USPAT
12	0	(PDP DMD (matrix adj3 array)) and (luminance value) and ((odd and even) near5 line\$2)	EPO; JPO; DERWENT; IBM_TDB
13	115	(PDP DMD (matrix adj3 array)) and (luminance value) and ((odd and even) near5 line\$2)	USPAT
14	155	(PDP DMD (matrix adj3 array)) and ((subscan bits) adj3 weights) and (luminance value)	USPAT; US-PGPUB
15	1	(PDP DMD (matrix adj3 array)) and (((subscan subframes) near4 bits) adj3 weights) and (luminance value)	USPAT; US-PGPUB
16	178	(PDP DMD (matrix adj3 array)) and ((subframe bits) adj3 weights) and (luminance value)	USPAT; US-PGPUB

	Hits	Search Text	DBs
17	24	((PDP DMD (matrix adj3 array)) and ((subframe bits) adj3 weights) and (luminance value)) not ((PDP DMD (matrix adj3 array)) and ((subscan bits) adj3 weights) and (luminance value))	USPAT; US-PGPUB
18	130	(PDP DMD (matrix adj3 array)) and ((subscan bits) adj3 weights) and (luminance value)	USPAT
19	139	(PDP DMD (matrix adj3 array)) and ((subframe bits) adj3 weights) and (luminance value)	USPAT
20	9	((PDP DMD (matrix adj3 array)) and ((subframe bits) adj3 weights) and (luminance value)) not ((PDP DMD (matrix adj3 array)) and ((subscan bits) adj3 weights) and (luminance value))	USPAT
21	139	(PDP DMD (matrix adj3 array)) and ((subscan subframe bits) adj3 weights) and (luminance value)	USPAT
22	0	(PDP DMD (matrix adj3 array)) with ((subscan subframe bits) adj weights) with (luminance value)	USPAT
23	53	(PDP DMD (matrix adj3 array)) and (((subscan subframe bits) adj weights) with (luminance value))	USPAT
24	74	(PDP DMD (matrix adj3 array)) and (((subscan subframe bits) adj3 weights) with (luminance value))	USPAT
25	0	(PDP DMD (matrix adj3 array)) and (((subscan subframe bits) near6 (weights near2 sum)) with (luminance value))	USPAT
26	0	(PDP DMD (matrix adj3 array)) and (((subscan subframe bits) near6 (weights near5 sum)) with (luminance value))	USPAT
27	2	(PDP DMD (matrix adj3 array)) and (((subscan subframe bits) with (weights with sum)) with (luminance value))	USPAT
28	0	(PDP DMD (matrix adj3 array)) and (((subscan subframe bits) with (weights with sum)) with (luminance value))	EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
29	17	("5757343" "5760756" "5790095" "5854540" "6008793" "6025818" "6034664" "6040876" "6069610" "6091398" "6097358" "6100939" "6115011" "6144364" "6151000" "6215469" "6262700").PN.	USPAT
30	2	6323880.URPN.	USPAT
31	7	("5313224" "5638091" "5757343" "5805126" "5818419" "6100939" "6144364").PN.	USPAT
32	2	6064356.URPN.	USPAT
33	9	("5185602" "5187578" "5293159" "5365251" "5475448" "5497172" "5867142" "5874932" "5943032").PN.	USPAT
34	0	(PDP DMD (matrix adj3 array)) and (((subscan subframe bits) adj3 (weights with sum)) with (luminance value))	USPAT
35	1	(((subscan subframe bits) adj3 (weights with sum)) with (luminance value))	USPAT
36	928	(345/63,65,60).CCLS.	USPAT; US-PGPUB
37	11	((345/63,65,60).CCLS.) and (weights with sum)	USPAT
38	14	((345/63,65,60).CCLS.) and (weights same sum)	USPAT
39	3	(((345/63,65,60).CCLS.) and (weights same sum)) not (((345/63,65,60).CCLS.) and (weights with sum))	USPAT
40	3	((subscan subframe bits) adj3 (weights with sum))	USPAT
41	4	((subscan subframe bits) adj3 (weights with sum))	EPO; JPO; DERWENT; IBM_TDB
42	3	("5187578" "6052112" "6097358").PN.	USPAT
43	4	("5818419" "5907316" "6069610" "6249265").PN.	USPAT
44	7	("3979638" "4006298" "4695838" "5343215" "5475448" "5742265" "5805126").PN.	USPAT
45	5	("5745086" "5943032" "6037917" "6072448" "6097358").PN.	USPAT
46	3	("5343215" "5420602" "5541618").PN.	USPAT

	Hits	Search Text	DBs
47	14	((345/63,66,60).CCLS.) and (weights same sum)	USPAT
48	123	PDP and (weights same sum)	USPAT
49	94	PDP and (weights with sum)	USPAT
50	32	PDP and (sum adj3 weights)	USPAT
51	0	PDP and (sum adj3 weights)	EPO; JPO; DERWENT; IBM_TDB
52	3	PDP and (weights with sum)	EPO; JPO; DERWENT; IBM_TDB
53	3	PDP and ((even and odd) with line\$2) and (luminance with difference) and threshold	USPAT
54	1	(PDP DMD (matrix adj3 array)) and (((odd and even) near5 line\$2) near5 writ\$5)	USPAT
55	1	(PDP DMD (matrix adj3 array)) and (((odd and even) near5 line\$2) near10 writ\$5)	USPAT
56	3	(PDP DMD (matrix adj3 array)) and (((odd and even) near5 line\$2) with writ\$5)	USPAT
57	20	(PDP DMD (matrix adj3 array)) and (((odd and even) near5 line\$2) same writ\$5)	USPAT